MATERIAL SAFETY DATA SHEET

ADVANCE TRAFFIC MARKINGS

Product Name: Product Code No.:	ADA MAT 19-391, 19-392, 19-193, 19-194	, 19-393,19-191,	, 19-192,		Page: Issue Date:	1 of 3 Feb. 9, 2007
_ MANUFACTURER:					•	vent of chemical
					olving a spill, le	
PATCH RUBBER CON	APANY		exposure, or accident involving chemicals.			
P.O. BOX H				. ,	55-3924 North A	
ROANOKE RAPIDS, N.C. 27870			(813) 24	48-0585 (Collect	t) International	
TELEPHONE: (252) 5	36-2574			HEAL	TH EMERGEN	CIES:
			Call LO	S ANG	ELES Poison I	nformation Center
					s.) 1-800-356-31	
PRODUCT IDENTIFIC	ATION			×	,	
PRODUCT NAME:		ADA MAT				
DOT PROPER SHIPPI		N/A				
ID NUMBER:		N/A				
DOT HAZARD CLASS		N/A N/A				
DOT HAZARD GLASS		IN/ <i>F</i> A				
SECTION I - HAZARD		INTS				
Components	Percent	Exposure L	imits	Units	Agency	Туре

NOT APPLICABLE

This vulcanized rubber meets the definition for an article.

SECTION II - EMERGENCY & FIRST AID PROCEDURES *****EMERGENCY****		
Have a physician call Los Angeles		
POISON INFORMATION CENTER (24 hrs.)		
1-800-356-3129		

NOT APPLICABLE

SECTION III - HEALTH HAZARDS/ROUTES OF ENTRY

NOT APPLICABLE

Product Name: Product Code No.: ADA MAT 19-391, 19-392, 19-393,19-191, 19-192, 19-193, 19-194 Page: 2 of 3 Issue Date: Feb. 9, 2007

SECTION IV - SPECIAL PROTECTION INFORMATION

NOT APPLICABLE

SECTION V - REACTIVITY DATA

NOT APPLICABLE

SECTION VI - SPILL OR LEAK PROCEDURES **HIGHWAY /RAILWAY SPILLS** CALL CHEM TEL 1-800-255-3924 North America Collect) 1-813-248-0585 International

This material, if discarded, is not defined as hazardous by 40CFR 261. Disposal Method: Incinerate or landfill in accordance with applicable federal, state, and local law or regulation.

SECTION VII - STORAGE AND SPECIAL PRECAUTIONS

No special handling or storage requirements indicated.

SECTION VIII - FIRE & EXPLOSION HAZARD DATA

FLASH POINT: Not applicable.

FLAMMABLE LIMITS IN AIR: N/A

EXTINGUISHING MEDIA: Water, foam, dry chemical, carbon dioxide.

UNUSUAL FIRE & EXPLOSION HAZARDS: N/A

Product Name:	ADA MAT	Page:	3 of 3
Product Code No.:	19-391, 19-392, 19-393,19-191, 19-192,	Issue Date:	Feb. 9, 2007
	19-193, 19-194		

SECTION IX - PHYSICAL DATA

APPROX. BOILING POINT: N/A VAPOR DENSITY (AIR = 1): N/A

VAPOR PRESSURE: N/A EVAPORATION RATE (N-BUTYL ACETATE = 1) N/A

<u>% VOLATILE:</u> N/A <u>% SOLUBILITY IN WATER:</u> N/A

SPECIFIC GRAVITY: N/A APPEARANCE: Vulcanized Rubber

ODOR: Characteristic rubber odor.

SECTION X - DOCUMENTARY INFORMATION						
ISSUE DATE:	2/9/07	PRODUCT CODE NO:	19-391, 19-392, 19-393 19-191, 19-192, 19-193, 19-194			
PREV. DATE:	3/16/06	PREV. PROD. CODE NO:	19-391, 19-392, 19-393			
MSDS NO:	0222	PREV. MSDS NO:	0222			

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The information in this document is believed to be correct as of the date issued. HOWEVER, NO WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR ANY OTHER WARRANTY IS EXPRESSED OR IS TO BE IMPLIED REGARDING THE ACCURACY OR COMPLETENESS OF THIS INFORMATION, THE RESULTS TO BE OBTAINED FROM HAZARDS RELATED TO ITS USE. This information and product are furnished on the condition that the person receiving them shall make his own determination as to the suitability of the product for his particular purpose and on the condition that he assume the risk of his use thereof.

PREPARED BY: Marlo Carter