# Safety Data Sheet



# according to OSHA Hazard Communication 29 CFR Part 1910.1200

according to Regulation (EC) No. 1907/2006 Article 31

# Section 1. Identification

**Product Code:** 

984752

**Product Name:** 

WB YEL WA LOW TEMP

**Product Type:** 

**WB** Paint

Recommended Use:

**Traffic Markings** 

Supplied by:

Ennis-Flint

A Traffic Safety Solutions Company

115 Todd Court

Thomasville, NC 27360

T: 800.331.8118 (For Technical Inquiries)

**Emergency Telephone:** 

Chemtrec

1-800-424-9300

# Section 2. Hazard(s) identification

**EMERGENCY OVERVIEW:** This product contains a component suspected of causing cancer. However, it is in a non-respirable form and inhalation is unlike to occur from exposure. This classification is relevant when exposed to dust or powder form only (e.g. sanding, grinding).

#### Classification

## Symbol(s) of Product





# Signal Word Warning

#### **GHS Named Chemicals On Label**

Titanium Dioxide, Crystalline Silica, Quartz, Methanol

#### **GHS HAZARD STATEMENTS**

Acute Toxicity, Inhalation, category 4

H332

Harmful if inhaled.

Carcinogenicity, category 2

H351

Suspected of causing cancer.

STOT, repeated exposure, category 2

H373

May cause damage to organs through prolonged or repeated exposure.

## **GHS PRECAUTIONARY STATEMENTS**

P201

Obtain special instructions before use.

P260 P261

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray.

P281 P308+P313 Use personal protective equipment as required.

P312

IF exposed or concerned: Get medical advice/attention.

Call a POISON CENTER or doctor/physician if you feel unwell.

Page 1 / 8

P314

Get medical advice/attention if you feel unwell.

# Section 3. Composition/Information on ingredients

| Chemical Name              | CAS-No.    | Wt. %   | GHS Symbols           | <b>GHS Statements</b> |
|----------------------------|------------|---------|-----------------------|-----------------------|
| Methanol                   | 67-56-1    | < 5.0   | GHS02-GHS06-<br>GHS08 | H225-302-330-370      |
| Titanium Dioxide           | 13463-67-7 | 1.0-2.5 | GHS08                 | H351                  |
| Crystalline Silica, Quartz | 14808-60-7 | 1.0-2.5 | GHS08                 | H351-373              |

| Chemical Name              | CAS-No.    | EINECS No. | REACH Reg No.         | M-Factors |
|----------------------------|------------|------------|-----------------------|-----------|
| Methanol                   | 67-56-1    | 200-659-6  | 01-2119433307-44-XXXX | 0         |
| Titanium Dioxide           | 13463-67-7 | 236-675-5  | not available         | 0         |
| Crystalline Silica, Quartz | 14808-60-7 | 238-878-4  | not available         | 0         |

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

# Section 4. First-aid measures



FIRST AID - INHALATION: Move to fresh air. Give oxygen or artificial respiration if needed. Consult a physician if symptoms persist.

FIRST AID - SKIN CONTACT: Wash affected area immediately with soap and plenty of water. Remove contaminated clothing and launder before reuse. Consult a physician if symptoms persist.

FIRST AID - EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician if symptoms persist.

FIRST AID - INGESTION: Do NOT induce vomiting. If conscious, rinse mouth and drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.

# Section 5. Fire-fighting measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: None expected.

SPECIAL FIREFIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

EXTINGUISHING MEDIA: Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Foq

# Section 6. Accidental release measures

**ENVIRONMENTAL PRECAUTIONS:** Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use personal protective equipment. Ensure adequate ventilation. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically. Keep in suitable and closed containers for disposal.

# Section 7. Handling and storage





**HANDLING:** Ensure adequate ventilation. Avoid breathing vapor, mists or dust. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Observe good industrial hygiene practices. Avoid dust formation.

STORAGE: Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers.

# Section 8. Exposure controls/personal protection

#### Ingredients with Occupational Exposure Limits

<u>Chemical Name</u> <u>ACGIH TLV-TWA</u> <u>ACGIH-TLV STEL</u> <u>OSHA PEL-TWA</u> <u>OSHA PEL-CEILING</u>

 Methanol
 200 PPM
 250 PPM
 200 PPM

 Titanium Dioxide
 10 mg/m3
 15 mg/m3

 Crystalline Silica, Quartz
 0.025 mg/m3
 0.1 mg/m3

| <u>Name</u>      | Percentage | VME mg/m3 | VME ppm | OEL Nota |
|------------------|------------|-----------|---------|----------|
| Methanol         | 1.0-2.5    | 266       | 200     | 200 PPM  |
| Titanium Dioxide | 1.0-2.5    | 10        | 0       | 15 mg/m3 |

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

#### Personal Protection



**RESPIRATORY PROTECTION:** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.



**SKIN PROTECTION: Protective gloves** 



EYE PROTECTION: Safety glasses with side-shields.



OTHER PROTECTIVE EQUIPMENT: Eyewash stations, safety showers, ventilation systems.



**HYGIENIC PRACTICES:** When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.

## Section 9. Physical and chemical properties

Appearance: yellow Physical State: Liquid

Odor: Slight, Ammonia Odor Threshold: Not Established

Density, g/cm3:1.694pH:NIFreeze Point, °C:NIViscosity:NISolubility in Water:InsolublePartition Coefficient, n-octanol/NI

Decompostion Temp., °C: NI water:

Boiling Point, °C: Explosive Limits, vol%: N.I. N.I. Combustibility: Flash Point, °C: Does not Support Combustion >94 **Evaporation Rate:** Slower than Diethyl Ether Auto-ignition Temp., °C: NI Vapor Density: Heavier than air Vapor Pressure: NI

(See "Other information" Section for abbreviation legend)

# Section 10. Stability and reactivity

**STABILITY:** Stable under recommended storage conditions. **CONDITIONS TO AVOID:** Dust formation. Do not freeze.

INCOMPATIBILITY: None known based on information supplied.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides. Nitrogen oxides. HAZARDOUS POLYMERIZATION: Hazardous polymerisation does not occur.

# Section 11. Toxicological information



# **Practical Experiences**

**EFFECT OF OVEREXPOSURE - INHALATION:** Harmful if inhaled. Inhalation may cause irritation to the respiratory tract (nose, mouth, mucous membranes). Prolonged, repeated or high exposures may cause central nervous system depression leading to headaches, nausea, drowsiness, dizziness, and possibly narcosis. In extreme cases, may cause loss of consciousness. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Sanding and grinding dust may be harmful if inhaled.

EFFECT OF OVEREXPOSURE - SKIN CONTACT: Direct skin contact may cause irritation.

EFFECT OF OVEREXPOSURE - EYE CONTACT: Direct eye contact may cause irritation.

**EFFECT OF OVEREXPOSURE - INGESTION:** Ingestion may cause irritation to mucous membranes. May cause gastrointestinal irritation, nausea, vomiting, and diarrhea. May cause gastrointestinal disturbances with dizziness and central nervous system depression.

**EFFECT OF OVEREXPOSURE - CHRONIC HAZARDS:** This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product. Inhalation exposure to respirable levels of crystalline silica may cause respiratory impairment and lung damage. This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica is unlikely to occur from exposure to this product. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen. Inhalation, ingestion, or skin absorption of methanol can cause blindness.

#### **Acute Toxicity Values**

The acute effects of this product have not been tested. Data on individual components are tabulated below:

| CAS-No.    | Name according to EEC      | Oral LD50            | Dermal LD50          | Gas LC50            |
|------------|----------------------------|----------------------|----------------------|---------------------|
| 67-56-1    | Methanol                   | 1187 -2769 mg/kg rat | 17100 mg/kg rabbit   | 128.2 PPM - 4 h rat |
| 13463-67-7 | Titanium Dioxide           | > 10000 mg/kg rat    | > 10000 mg/kg rabbit | >20001 ppm          |
| 14808-60-7 | Crystalline Silica, Quartz | >2000 mg/kg          | > 2000 mg/kg         | >20001 ppm          |

N.I. - No Information

# Section 12. Ecological information

ECOLOGICAL INFORMATION: The environmental impact of this product has not been fully investigated.

#### Further Ecological Information

Contains the following ingredients which are classified as water dangerous according to EEC directive No. 76/464/EEC in percentages > 1%.

| CAS-No.    | Name according to EEC      | Bio. Conc. Factor (BCF) | Octanol-water par. Coeff (KOW) |
|------------|----------------------------|-------------------------|--------------------------------|
| 67-56-1    | Methanol                   | 1                       | -0.77                          |
| 13463-67-7 | Titanium Dioxide           | not available           | not available                  |
| 14808-60-7 | Crystalline Silica, Quartz | not available           | not available                  |

# Section 13. Disposal considerations



#### Product

**DISPOSAL METHOD:** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of contents/ container in accordance with the local/regional/national/international regulations. Do not re-use empty containers.

European Waste Code: 080112 waste pait/var.w/o.org. solv/DS

**Uncleaned Packaging** 

European Waste Code: 150110 packaging dangerous residuals

# Section 14. Transport information

# **SPECIAL TRANSPORT PRECAUTIONS:** No Information

#### **Road Transport**

UN Number:
ADR/RID Class:
Not regulated
Packing Group:
No Information
Shipping Name:
Not regulated
Primary Shipping Hazard:
Road Tunnel Transport Code:
Not regulated
Not regulated

#### Sea Transport

UN Number:
IMDG/GGVSee Class:
Not regulated
EmS-No:
Packing Group:
No Information
Shipping Name:
Primary Shipping Hazard:
No Information
Marine Pollutant:

Not A Marine Pollutant

Shipping Hazard(Marine Pollutant):

No Information

#### Air Transport

UN Number:
ICAO/IATA Class:
Packing Group:
Shipping Name:
Primary Shipping Hazard:
Not regulated
No Information
Not regulated
No Information

## Section 15. Regulatory information

# U.S. Federal Regulations:

#### CERCLA - SARA Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard, Chronic Health Hazard

#### **SARA SECTION 313:**

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical Name CAS-No.

Methanol 67-56-1 Ammonium hydroxide 1336-21-6

#### **TOXIC SUBSTANCES CONTROL ACT:**

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

## <u>Chemical Name</u> <u>CAS-No.</u>

| Methanol                          | 67-56-1    |
|-----------------------------------|------------|
| Titanium Dioxide                  | 13463-67-7 |
| Crystalline Silica, Quartz        | 14808-60-7 |
| Silicon dioxide, amorphous        | 7631-86-9  |
| Ethoxylated Nonylphenol, Branched | 68412-54-4 |
| Ethoxylated Octylphenol           | 9002-93-1  |
| Ammonium hydroxide                | 1336-21-6  |
| Benzisothiazolinone               | 2634-33-5  |
| Sodium hydroxide                  | 1310-73-2  |

# **U.S. State Regulations:**

## **NEW JERSEY RIGHT-TO-KNOW:**

The following materials are non-hazardous, but are among the top five components in this product.

| Chemical Name          | CAS-No.     |
|------------------------|-------------|
| Calcium Carbonate      | 1317-65-3   |
| Water                  | 7732-18-5   |
| No Chemical Name Found | Proprietary |
| Feldspar               | 68476-25-5  |

#### PENNSYLVANIA RIGHT-TO-KNOW

The following non-hazardous ingredients are present in the product at greater than 3%.

| Chemical Name          | CAS-No.     |
|------------------------|-------------|
| Calcium Carbonate      | 1317-65-3   |
| Water                  | 7732-18-5   |
| No Chemical Name Found | Proprietary |
| Feldspar               | 68476-25-5  |

## **CALIFORNIA PROPOSITION 65 CARCINOGENS**

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

Chemical NameCAS-No.Titanium Dioxide13463-67-7Crystalline Silica, Quartz14808-60-7

## **CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS**

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

No Proposition 65 Reproductive Toxins exist in this product.

# International Regulations: As follows -

# **CANADIAN WHMIS:**

This SDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class: D1B, D2A, D2B

Denmark

B-Value: 0.000000

France

Storage Conditions: No Information

**Professional Illness Table:** 

CAS Number Chemic

Chemical Name

67-56-1 Methanol not available

**Professional Illness** 

13463-67-7

Titanium Dioxide

14808-60-7

Crystalline Silica, Quartz

not available not available

Germany

VbF-Class:

No Information

WGK-class:

0

Remarks:

WGK 0 = in general not a water pollutant

WGK 1 = weak water pollutant WGK 2 = water pollutant WGK 3 = severe water pollutant

Processing restrictions:\*

Incident Regulation:

No Information

Spain

**Storage Conditions:** 

No Information

Switzerland

VOC-Value:

1.94

**United Kingdom** 

**Storage Conditions:** 

No Information

Section 16. Other information, including date of preparation of the last revision

**Revision Date:** 

1/10/2016

Supercedes Date:

1/8/2016

Reason for revision:

Substance and/or Product Properties Changed in Section(s):

09 - Physical & Chemical Information

Datasheet produced by:

Regulatory Department

HMIS Ratings:

Flammability: Health: Reactivity: Personal Protection: Ω

**NFPA Ratings:** 

Health: Flammability: Reactivity: 0 Hazards: N.I.

Volatile Organic Compounds, gr/ltr:

91

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225

Highly flammable liquid and vapour.

H302

Harmful if swallowed.

H330

H351

Fatal if inhaled.

H370

Suspected of causing cancer.

Causes damage to organs.

H373

May cause damage to organs through prolonged or repeated exposure.

Icons for GHS Pictograms shown in Section 3 describing each ingredient:

**GHS02** 

GHS06

GHS08



Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product where instructions and recommendations are not followed. Any use of the product not in conformance with this SDS or in combination with any other product or process is the responsibility of the user.