Safety Data Sheet



according to OSHA Hazard Communication 29 CFR Part 1910.1200

according to Regulation (EC) No. 1907/2006 Article 31

Section 1. Identification

Product Code:

985204

Product Name:

WB RED FAST DRY 1952E 1/2

Product Type:

WB Paint

Recommended Use:

Traffic Markings

Supplied by:

Ennis-Flint

A Traffic Safety Solutions Company

115 Todd Court

Thomasville, NC 27360

T: 800.331.8118 (For Technical Inquiries)

Emergency Telephone:

Chemtrec

1-800-424-9300

Section 2. Hazard(s) identification

EMERGENCY OVERVIEW: Sensitizer.

Classification

Symbol(s) of Product



Signal Word

Warning

GHS Named Chemicals On Label

Benzisothiazolinone, Methanol

GHS HAZARD STATEMENTS

Skin Sensitizer, category 1

H317

May cause an allergic skin reaction.

Acute Toxicity, Inhalation, category 4

H332

Harmful if inhaled.

GHS PRECAUTIONARY STATEMENTS

P261

Avoid breathing dust/fume/gas/mist/vapours/spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352

IF ON SKIN: Wash with plenty of soap and water.

P312

Call a POISON CENTER or doctor/physician if you feel unwell.

P333+P313

If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

Section 3. Composition/Information on ingredients

Chemical Name	CAS-No.	Wt. %	GHS Symbols	GHS Statements
Methanol	67-56-1	< 5.0	GHS02-GHS06- GHS08	H225-302-330-370
Benzisothiazolinone	2634-33-5	0.1-1.0	GHS05-GHS07	H302-315-317-318
Chemical Name	CAS-No.	EINECS No.	REACH Reg No.	M-Factors

 Methanol
 67-56-1
 200-659-6
 01-2119433307-44-XXXX
 0

 Benzisothiazolinone
 2634-33-5
 220-120-9
 not available
 0

The text for GHS Hazard Statements shown above (if any) is given in the "Other information" Section.

Section 4. First-aid measures



FIRST AID - INHALATION: Move to fresh air. Give oxygen or artificial respiration if needed. Consult a physician if symptoms persist.

FIRST AID - SKIN CONTACT: Wash affected area immediately with soap and plenty of water. Remove contaminated clothing and launder before reuse. Consult a physician if symptoms persist.

FIRST AID - EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician if symptoms persist.

FIRST AID - INGESTION: Do NOT induce vomiting. If conscious, rinse mouth and drink plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.

Section 5. Fire-fighting measures

UNUSUAL FIRE AND EXPLOSION HAZARDS: None expected.

SPECIAL FIREFIGHTING PROCEDURES: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

EXTINGUISHING MEDIA: Alcohol Foam, Carbon Dioxide, Dry Chemical, Foam, Water Fog

Section 6. Accidental release measures

ENVIRONMENTAL PRECAUTIONS: Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Use personal protective equipment. Ensure adequate ventilation. Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically. Keep in suitable and closed containers for disposal.

Section 7. Handling and storage





HANDLING: Ensure adequate ventilation. Avoid breathing vapor, mists or dust. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Observe good industrial hygiene practices. Avoid dust formation.

STORAGE: Keep container tightly closed in a dry and well-ventilated place. Keep in properly labeled containers.

Section 8. Exposure controls/personal protection

Ingredients with Occupational Exposure Limits

<u>Chemical Name</u> <u>ACGIH TLV-TWA</u> <u>ACGIH-TLV STEL</u> <u>OSHA PEL-TWA</u> <u>OSHA PEL-CEILING</u>

Methanol 200 PPM 250 PPM 200 PPM

Benzisothiazolinone

 Name
 Percentage
 VME mg/m3
 VME ppm
 OEL Nota

 Methanol
 2.5-10
 266
 200
 200 PPM

Further Advice: MEL = Maximum Exposure Limit OES = Occupational Exposure Standard SUP = Supplier's Recommendation Sk = Skin Sensitizer N.E. = Not Established

Personal Protection



RESPIRATORY PROTECTION: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.



SKIN PROTECTION: Protective gloves



EYE PROTECTION: Safety glasses with side-shields.



OTHER PROTECTIVE EQUIPMENT: Eyewash stations, safety showers, ventilation systems.



HYGIENIC PRACTICES: When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice.

Section 9. Physical and chemical properties

Appearance: red Physical State: Liquid

Odor: Slight, Ammonia Odor Threshold: Not Established

Density, g/cm3:1.654pH:NIFreeze Point, °C:NIViscosity:NISolubility in Water:InsolublePartition Coefficient, n-octanol/NI

Modeling in valer. Insoluble Facultin Coefficient, inscharing

Decompostion Temp., °C: NI water

Boiling Point, °C: N.I. Explosive Limits, vol%: N.I.

Combustibility: Does not Support Combustion Flash Point, °C: >94

Combustibility:Does not Support CombustionFlash Point, °C:>94Evaporation Rate:Slower than Diethyl EtherAuto-ignition Temp., °C:NIVapor Density:Heavier than airVapor Pressure:NI

(See "Other information" Section for abbreviation legend)

Section 10. Stability and reactivity

STABILITY: Stable under recommended storage conditions.

CONDITIONS TO AVOID: Dust formation. Do not freeze.

INCOMPATIBILITY: None known based on information supplied.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon oxides. Nitrogen oxides. HAZARDOUS POLYMERIZATION: Hazardous polymerisation does not occur.

Section 11. Toxicological information



Practical Experiences

EFFECT OF OVEREXPOSURE - INHALATION: Harmful if inhaled. Inhalation may cause irritation to the respiratory tract (nose, mouth, mucous membranes). Prolonged, repeated or high exposures may cause central nervous system depression leading to headaches, nausea, drowsiness, dizziness, and possibly narcosis. In extreme cases, may cause loss of consciousness. May cause

central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Sanding and grinding dust may be harmful if inhaled.

EFFECT OF OVEREXPOSURE - SKIN CONTACT: Direct skin contact may cause irritation. May cause allergic skin reaction.

EFFECT OF OVEREXPOSURE - EYE CONTACT: Direct eye contact may cause irritation.

EFFECT OF OVEREXPOSURE - INGESTION: Ingestion may cause irritation to mucous membranes. May cause gastrointestinal irritation, nausea, vomiting, and diarrhea. May cause gastrointestinal disturbances with dizziness and central nervous system depression.

EFFECT OF OVEREXPOSURE - CHRONIC HAZARDS: Inhalation, ingestion, or skin absorption of methanol can cause blindness. Repeated contact may cause allergic reactions.

Acute Toxicity Values

The acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name according to EEC	Oral LD50	Dermal LD50	Gas LC50
67-56-1	Methanol	1187 -2769 mg/kg rat	17100 mg/kg rabbit > 2000 mg/kg	128.2 PPM - 4 h rat
2634-33-5	Benzisothiazolinone	1020 mg/kg rat		>20001 ppm

N.I. - No Information

Section 12. Ecological information

ECOLOGICAL INFORMATION: The environmental impact of this product has not been fully investigated.

Further Ecological Information

Contains the following ingredients which are classified as water dangerous according to EEC directive No. 76/464/EEC in percentages > 1%.

CAS-No.	Name according to EEC	Bio. Conc. Factor (BCF)	Octanol-water par. Coeff (KOW)
67-56-1	Methanol	1	-0.77
2634-33-5	Benzisothiazolinone	not available	not available

Section 13. Disposal considerations



Product

DISPOSAL METHOD: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of contents/ container in accordance with the local/regional/national/international regulations. Do not re-use empty containers.

European Waste Code: 080112 waste pait/var.w/o.org. solv/DS

Uncleaned Packaging

European Waste Code: 150110 packaging dangerous residuals

Section 14. Transport information

SPECIAL TRANSPORT PRECAUTIONS: No Information

Road Transport

UN Number:
ADR/RID Class:
Packing Group:
No Information
Shipping Name:
Primary Shipping Hazard:
Road Tunnel Transport Code:
Not regulated
No Information
Not regulated

Sea Transport

UN Number:

IMDG/GGVSee Class:

EmS-No:

Not regulated

Not regulated

Not regulated

Not regulated

Not regulated

Not regulated

Packing Group:

Shipping Name:

Primary Shipping Hazard:

No Information

No Information

Marine Pollutant: Not A Marine Pollutant

Shipping Hazard(Marine Pollutant):

No Information

Air Transport

UN Number:
ICAO/IATA Class:
Packing Group:
Shipping Name:
Primary Shipping Hazard:
Not regulated
No Information
Not regulated
No Information

Section 15. Regulatory information

U.S. Federal Regulations:

CERCLA - SARA Hazard Category

This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard, Chronic Health Hazard

SARA SECTION 313:

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372:

Chemical NameCAS-No.Methanol67-56-1Ammonium hydroxide1336-21-6

TOXIC SUBSTANCES CONTROL ACT:

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States:

Chemical Name CAS-No. Methanol 67-56-1 Iron Oxide Red 1309-37-1 Benzisothiazolinone 2634-33-5 Ethoxylated Octylphenol 9002-93-1 Crystalline Silica, Quartz 14808-60-7 Nonylphenol, ethoxylated 9016-45-9 Ammonium hydroxide 1336-21-6 Sodium hydroxide 1310-73-2

U.S. State Regulations:

NEW JERSEY RIGHT-TO-KNOW:

The following materials are non-hazardous, but are among the top five components in this product.

 Chemical Name
 CAS-No.

 Calcium Carbonate
 1317-65-3

 Water
 7732-18-5

 Acrylic polymer
 9003-01-4

PENNSYLVANIA RIGHT-TO-KNOW

The following non-hazardous ingredients are present in the product at greater than 3%.

 Chemical Name
 CAS-No.

 Calcium Carbonate
 1317-65-3

 Water
 7732-18-5

 Acrylic polymer
 9003-01-4

CALIFORNIA PROPOSITION 65 CARCINOGENS

Warning: The following ingredients present in the product are known to the state of California to cause Cancer:

No Proposition 65 Carcinogens exist in this product.

CALIFORNIA PROPOSITION 65 REPRODUCTIVE TOXINS

Warning: The following ingredients present in the product are known to the state of California to cause birth defects, or other reproductive hazards.

No Proposition 65 Reproductive Toxins exist in this product.

International Regulations: As follows -

CANADIAN WHMIS:

This SDS has been prepared in compliance with Controlled Product Regulations except for the use of the 16 headings.

WHMIS Class: D1A, D1B, D2A, D2B

Denmark

B-Value: 0.000000

France

Storage Conditions: No Information

Professional Illness Table:

CAS Number Chemical Name Professional Illness

67-56-1 Methanol not available 2634-33-5 Benzisothiazolinone not available

Germany

VbF-Class: No Information

WGK-class: 1

Remarks: WGK 0 = in general not a water pollutant

WGK 1 = weak water pollutant WGK 2 = water pollutant WGK 3 = severe water pollutant

Processing restrictions:*

Incident Regulation:

No Information

Spain

Storage Conditions:

No Information

Switzerland

VOC-Value:

2.53

United Kingdom

Storage Conditions:

No Information

Section 16. Other information, including date of preparation of the last revision

Revision Date:

1/18/2016

Supercedes Date:

1/4/2016

Reason for revision:

Product Composition Changed

Datasheet produced by:

Regulatory Department

HMIS Ratings:

Health: Flammability: Reactivity: Personal Protection:

NFPA Ratings:

Health: Flammability: Reactivity: 0 Hazards: N.I.

Volatile Organic Compounds, gr/ltr:

98

Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H225 Highly flammable liquid and vapour. Harmful if swallowed. H302 H315 Causes skin irritation. H317 May cause an allergic skin reaction.

Causes serious eye damage. H318

H330 Fatal if inhaled.

H370 Causes damage to organs.

Icons for GHS Pictograms shown in Section 3 describing each ingredient:



Legend: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined, N.I. - No Information

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product where instructions and recommendations are not followed. Any use of the product not in conformance with this SDS or in combination with any other product or process is the responsibility of the user.