Technical Coatings

SAFETY DATA SHEET

1. Identification

Product identifier

FIRMMARKER ADHESIVE - GRAY

Other means of Identification

Product code

18M900

Recommended use

Traffic marker adhesive

Recommended restrictions

None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company Name

FORREST Technical Coatings

Address

1011 McKinley Street P.O. Box 22110

Eugene

City State

OR

Zip

97402

Country Telephone Contact person **United States** 1 (541) 342-1821

EHS Department www.forrestpaint.com

Website E-mail

info@forrestpaint.com

Emergency phone number

1 (800) 424-9300 (CHEMTREC - Contract # 8730) USA & Canada

+1 703-527-3887 (CHEMTREC - Contract # 8730) Outside USA and Canada

2. Hazard(s) identification

Physical hazards

Not classified.

Health hazards

Acute toxicity, oral

Category 4

Acute toxicity, dermal

Category 4

Skin corrosion/irritation

Category 1

Serious eye damage/eye irritation Sensitization, skin

Category 1 Category 1

Carcinogenicity

Category 2

Reproductive toxicity (fertility, the unborn

Category 2

child)

Environmental hazards

Hazardous to the aquatic environment, acute

Category 1

hazard

Hazardous to the aquatic environment,

Category 1

long-term hazard

OSHA defined hazards

Not classified.

Label elements



Signal word

Hazard statement

Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Suspected of causing cancer. Suspected of damaging the unborn child. Suspected of damaging fertility. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response

If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

74.94% of the mixture consists of component(s) of unknown acute oral toxicity. 74.94% of the mixture consists of component(s) of unknown acute dermal toxicity. 82.57% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 46.06% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/Information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
EPOXY RESIN		25068-38-6	20-35
TALC		14807-96-6	20-35
NONYL PHENOL		84852-15-3	10-25
N-(AMINOTHEYL)PIPERAZINE	A second	140-31-8	<10
TITANIUM DIOXIDE		13463-67-7	<10

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

Ingestion

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

Most important symptoms/effects, acute and delayed

immodiata

blindness could result.

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an

Indication of immediate medical attention and special treatment needed

ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Powder. Alcohol resistant foam. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Material name: FIRMMARKER ADHESIVE - GRAY 18M900 Version #: 01 Issue date: 01-03-2016

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

Specific methods
General fire hazards

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

JS. OSHA Table Z-1 Limits for Air Contar Components	Туре	Value	Form
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.1000) Components	Туре	Value	Form
TALC (CAS 14807-96-6)	TWA	0.3 mg/m3	Total dust.
	1777	0.1 mg/m3	Respirable.
		20 mppcf	
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Values Components	Туре	Value	Form
	TWA	2 mg/m3	Respirable fraction.
TALC (CAS 14807-96-6)	TWA	10 mg/m3	
TITANIUM DIOXIDE (CAS 13463-67-7)	IVVA		

Biological limit values

Appropriate engineering controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Material name: FIRMMARKER ADHESIVE - GRAY 18M900 Version #: 01 Issue date: 01-03-2016

Individual protection measures, such as personal protective equipment

Chemical respirator with organic vapor cartridge and full facepiece. Eyelface protection

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove Hand protection

supplier.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Keep away from food and drink. Always observe good personal hygiene measures, such as General hygiene washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing considerations

should not be allowed out of the workplace.

9. Physical and chemical properties

Viscous. Liquid. **Appearance**

Liquid. Physical state

Liquid. Viscous. **Form**

Grey. Color Ероху. Odor Not available. Odor threshold

Not available. pH Not available.

Melting point/freezing point 520.6 °F (271.44 °C) estimated Initial boiling point and boiling

range

264.3 °F (129.1 °C) estimated Flash point

Not available. **Evaporation rate** Not applicable. Flammability (solid, gas)

Upper/lower flammability or explosive limits

Not available. Flammability limit - lower (%)

Flammability limit - upper

Not available. (%)

Explosive limit - lower (%)

Not available. Explosive limit - upper (%) Not available.

0.01 hPa estimated Vapor pressure

Not available. Vapor density Not available.

Relative density Solubility(ies)

0% Solubility (water)

Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. Decomposition temperature

Not available. **Viscosity**

Other information

11.69 lbs/gal estimated Density Combustible IIIB estimated Flammability class

0.02 % estimated Percent volatile

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Alkaline metals. Peroxides. Phenols.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation

May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact

Causes severe skin burns. Harmful in contact with skin. May cause an allergic skin reaction.

Eye contact

Causes serious eye damage.

Ingestion

Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including

blindness could result.

Information on toxicological effects

Acute toxicity

Harmful in contact with skin. Harmful if swallowed. May cause an allergic skin reaction.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

TALC (CAS 14807-96-6)

2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

TITANIUM DIOXIDE (CAS 13463-67-7)

2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not available.

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity Components Very toxic to aquatic life with long lasting effects.

Species

N-(AMINOTHEYL)PIPERAZINE (CAS 140-31-8)

Aquatic

Fish

LC50

Fathead minnow (Pimephales promelas) 1950 - 2460 mg/l, 96 hours

NONYL PHENOL (CAS 84852-15-3)

Aquatic

Crustacea

EC50

Clam (Mulinia lateralis)

0.0379 mg/l, 48 hours

Test Results

Fish

0.017 mg/l, 96 hours

LC50

Winter flounder (Pleuronectes

americanus)

Material name: FIRMMARKER ADHESIVE - GRAY 18M900 Version #: 01 Issue date: 01-03-2016

Test Results Species Components

TITANIUM DIOXIDE (CAS 13463-67-7)

Aquatic

Crustacea

EC50

Water flea (Daphnia magna)

> 1000 mg/l, 48 hours

Fish

LC50

Mummichog (Fundulus heteroclitus)

> 1000 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

NONYL PHENOL

5.71

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow Disposal instructions

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Hazardous waste code

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

UN number

UN3082

UN proper shipping name

Transport hazard class(es)

Environmentally hazardous substance, liquid, n.o.s. (EPOXY RESIN, NONYL PHENOL)

Class Subsidiary risk

Packing group **Environmental hazards** III Yes

9

ERG Code

91

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed.

aircraft

Cargo aircraft only

Allowed.

IMDG

UN number

UN3082

UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN, NONYL

PHENOL), Yes

Transport hazard class(es)

9 Class Subsidiary risk III Packing group

Environmental hazards

Yes Marine pollutant F-A, S-F **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not established.

IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

NONYL PHENOL (CAS 84852-15-3)

1.0 % One-Time Export Notification only.

US - TSCA Chemical Action Plans: Listed substance

NONYL PHENOL (CAS 84852-15-3)

Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Material name: FIRMMARKER ADHESIVE - GRAY 18M900 Version #: 01 Issue date: 01-03-2016

SDS US

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US - California Candidate Chemicals: Listed

NONYL PHENOL (CAS 84852-15-3)

TALC (CAS 14807-96-6)

TITANIUM DIOXIDE (CAS 13463-67-7)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

N-(AMINOTHEYL)PIPERAZINE (CAS 140-31-8)

NONYL PHENOL (CAS 84852-15-3)

TALC (CAS 14807-96-6)

TITANIUM DIOXIDE (CAS 13463-67-7)

US. New Jersey Worker and Community Right-to-Know Act

N-(AMINOTHEYL)PIPERAZINE (CAS 140-31-8)

TALC (CAS 14807-96-6)

TITANIUM DIOXIDE (CAS 13463-67-7)

US. Pennsylvania Worker and Community Right-to-Know Law

N-(AMINOTHEYL)PIPERAZINE (CAS 140-31-8)

NONYL PHENOL (CAS 84852-15-3)

TALC (CAS 14807-96-6)

TITANIUM DIOXIDE (CAS 13463-67-7)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Listed: February 21, 2003 CARBON BLACK (CAS 1333-86-4) CRYSTALLINE QUARTZ SILICA (CAS 14808-60-7) Listed: October 1, 1988

TITANIUM DIOXIDE (CAS 13463-67-7)

Listed: September 2, 2011

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
Canada	Inventory of Existing Chemical Substances in China (IECSC)	No
China		No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No
Fillippines	(PICCS)	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
	onents of this product comply with the inventory requirements administered by the go e components of the product are not listed or exempt from listing on the inventory an	overning country(s) dministered by the governing

country(s). 16. Other information, including date of preparation or last revision

01-03-2016 **Issue** date

01 Version #

Health: 3* **HMIS®** ratings Flammability: 0

Physical hazard: 0

Material name: FIRMMARKER ADHESIVE - GRAY 18M900 Version #: 01 Issue date: 01-03-2016

NFPA ratings

Health: 3 Flammability: 0 Instability: 0

NFPA ratings



Disclaimer

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, expressed or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.